

# Contents

Abstract . . . . .	v
Sommarju . . . . .	vii
Acknowledgements . . . . .	ix
List of Figures . . . . .	xv
List of Tables . . . . .	xxii
Nomenclature . . . . .	xxv
List of Publications . . . . .	xxviii
<b>1 Introduction . . . . .</b>	<b>1</b>
1.1 CERN and the Large Hadron Collider . . . . .	1
1.2 Linear beam dynamics . . . . .	6
1.2.1 Longitudinal motion . . . . .	7
1.2.2 Transverse motion . . . . .	8
1.3 LHC machine operation . . . . .	10
1.4 Thesis organization . . . . .	12
<b>2 The LHC Collimation System . . . . .</b>	<b>14</b>
2.1 Scope and layout of the collimation system . . . . .	14
2.2 LHC collimator software architecture . . . . .	23
2.3 Collimator settings . . . . .	24
<b>3 Beam Monitoring Systems . . . . .</b>	<b>28</b>
3.1 Beam loss monitoring system . . . . .	28
3.1.1 Standard system . . . . .	28
3.1.2 Improvements for collimator alignment . . . . .	30
3.2 Beam position monitoring system . . . . .	32
3.2.1 Beam Position Monitor . . . . .	32
3.2.2 LHC orbit correction system . . . . .	33
3.2.3 Collimators with embedded BPMs . . . . .	33
<b>4 Collimator Beam-Based Alignment . . . . .</b>	<b>38</b>
4.1 LHC collimator beam-based alignment . . . . .	38
4.1.1 Pre-alignment procedure . . . . .	38

4.1.2	Alignment procedure . . . . .	38
4.2	Collimation hierarchy qualification . . . . .	44
4.3	Collimator alignment in other colliders . . . . .	46
4.3.1	Tevatron . . . . .	46
4.3.2	RHIC . . . . .	46
4.3.3	HERA . . . . .	46
4.3.4	Comparison with LHC collimator alignment requirements . .	47
4.4	Motivation for fast automatic alignment . . . . .	47
<b>5</b>	<b>Alignment Algorithms . . . . .</b>	<b>48</b>
5.1	Introduction . . . . .	48
5.2	Formal problem definition . . . . .	48
5.3	BLM-based feedback loop . . . . .	49
5.3.1	Single collimator movement . . . . .	49
5.3.2	Parallel collimator movement . . . . .	51
5.3.3	Alignment algorithm input heuristics . . . . .	52
5.4	Loss spike recognition . . . . .	55
5.4.1	Motivation for spike classification . . . . .	55
5.4.2	Support Vector Machines . . . . .	56
5.4.3	Feature selection . . . . .	57
5.4.4	SVM training . . . . .	58
5.4.5	Experimental results . . . . .	59
5.5	Automatic threshold selection . . . . .	60
5.5.1	Data analysis . . . . .	60
5.5.2	Results . . . . .	62
5.6	Coarse BPM-interpolation based alignment . . . . .	63
5.6.1	Comparison results . . . . .	66
5.6.2	BPM-interpolation guided alignment tool . . . . .	67
5.6.3	Experimental results . . . . .	69
5.7	Alignment task sequencer . . . . .	71
5.8	BPM-Based successive approximation algorithm . . . . .	72
5.8.1	BPM measurement corrections . . . . .	73
5.8.2	BPM-based alignment algorithm . . . . .	77
5.8.3	Results . . . . .	79
<b>6</b>	<b>Software Implementation and Validation . . . . .</b>	<b>83</b>
6.1	Software development methodology . . . . .	83
6.2	Software development tools . . . . .	83
6.3	BLM-based alignment software application . . . . .	84

---

6.3.1	Data acquisition . . . . .	84
6.3.2	Graphical User Interface . . . . .	85
6.3.3	Data logging . . . . .	93
6.4	BPM-based alignment software application . . . . .	93
6.4.1	Data acquisition . . . . .	93
6.4.2	Graphical User Interface . . . . .	94
6.4.3	Data logging . . . . .	95
6.5	Collimator system fixed display . . . . .	98
6.5.1	Monitored LSA parameters . . . . .	98
6.5.2	Display layout . . . . .	101
6.5.3	Beam loss map validity . . . . .	103
6.6	Software validation . . . . .	104
6.6.1	Black-box testing . . . . .	105
6.6.2	Glass-box testing . . . . .	106
<b>7</b>	<b>Modeling and Simulation of Collimator Setup . . . . .</b>	<b>107</b>
7.1	Motivation . . . . .	107
7.2	Modeling of BLM signals during setup . . . . .	107
7.3	Steady-state BLM signal . . . . .	109
7.4	Static model of spike and decay . . . . .	109
7.4.1	BLM loss spike . . . . .	109
7.4.2	Comparison with measured data . . . . .	110
7.4.3	Temporal decay in the losses . . . . .	114
7.5	Dynamic model of spike and decay . . . . .	117
7.5.1	Experimental procedure . . . . .	119
7.5.2	Data analysis . . . . .	123
7.5.3	Results . . . . .	132
7.6	BLM signal crosstalk . . . . .	135
7.7	Collimator setup simulator . . . . .	139
7.7.1	Simulator algorithm . . . . .	139
7.7.2	Simulator implementation . . . . .	141
<b>8</b>	<b>Simulation and Operational Results . . . . .</b>	<b>142</b>
8.1	Simulation results . . . . .	142
8.1.1	Results at 450 GeV . . . . .	144
8.1.2	Results at 4000 GeV . . . . .	146
8.1.3	Results at 7000 GeV . . . . .	148
8.1.4	Interpretation of simulated results . . . . .	150
8.2	Operational results . . . . .	150

---

8.2.1	Inferred beam sizes . . . . .	151
8.2.2	Beam intensity loss during setup . . . . .	154
8.2.3	Setup times . . . . .	154
8.2.4	Misaligned collimators . . . . .	159
8.2.5	Settings qualification . . . . .	161
8.2.6	Alignment errors . . . . .	164
8.2.7	Stability of beam-based alignment settings . . . . .	165
8.2.8	Orbit stability at the TCPs . . . . .	168
8.2.9	Orbit stability at the TCTs . . . . .	170
8.2.10	Alignment performance overview . . . . .	172
8.3	Comparison of simulation and measurement results . . . . .	173
<b>9</b>	<b>Conclusion . . . . .</b>	<b>175</b>
9.1	Summary . . . . .	175
9.2	Suggestions for further work . . . . .	179
<b>A</b>	<b>Collimator Database . . . . .</b>	<b>181</b>
<b>B</b>	<b>Collimator BLM Detector List . . . . .</b>	<b>183</b>
<b>C</b>	<b>Alignment Measurements . . . . .</b>	<b>185</b>
<b>D</b>	<b>Simulated BPM Non-Linearity Corrections . . . . .</b>	<b>189</b>
<b>E</b>	<b>Static Model of Beam Scraping . . . . .</b>	<b>196</b>
	<b>References . . . . .</b>	<b>198</b>